

DYNAMIC PERFORMANCE WITH EXCEPTIONAL OPERABILITY



The MX-4140N/4141N/5140N/5141N provides your business with the tools you need to gain the competitive advantage.

FULL-COLOR LEDGER-SIZE WORKGROUP DOCUMENT SYSTEMS

Sharp's new MX-4140N/4141N/5140N/5141N color series document systems combine the simplicity of touch-screen menu navigation with robust multi-tasking workflow features that can help virtually any office accomplish more in less time. A large 10.1" (diagonally measured) high-resolution, tilting touch-screen display offers groundbreaking real-time image preview with intuitive flick-and-tap editing to help ensure your documents are produced accurately and without waste. This new series also offers many advanced features such as a fully customizable home screen, dynamic action menus that provide feature-specific guidance, and a full-size retractable keyboard for easy data entry. Plus, with Sharp's enhanced second-generation micro-fine toner technology and true 1200 x 1200 dpi print resolution, this new series can help your business

quality that is also economical. The new MX-4140N/4141N/5140N/5141N
color series has been built on the latest Sharp OSA®
development platform, making
integration with network
applications and cloud services
easier than ever. And with Sharp's
industry-leading security
platform with standard
256-bit data encryption and
overwrite protection, you can
rest assured that your intellectual
property is well protected.



Engineered to deliver performance and productivity

VERSATILE

MULTI-FUNCTIONAL

POWERFUL

MULTI-TASKING

INTUITIVE

Advanced features plus multi-functional capability allow you to meet tomorrow's document needs today.

- Large 10.1" (diagonally measured) high resolution touch-screen display offers real-time image preview feature with flick, tap and slide navigation, and pinch-and-zoom capability to shrink and enlarge images
- Fully customizable home screen feature enables users to add custom backgrounds and icons, change the display language and more
- 2,000-sheet tandem paper drawer option expands maximum online paper capacity to 6,600 sheets
- Flexible paper handling system feeds up to 80 lb. cover through the paper trays and up to 110 lb. cover through the bypass tray



- Scan both sides of a document in a single pass at up to 170 IPM with the standard
 150-sheet duplexing document feeder (standard on the MX-4141N/5141N)
- Compact PDF feature dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage (standard on MX-4141N/5141N).
- Full-size, retractable keyboard allows quick, easy and accurate data entry (standard on the MX-4141N/5141N)
- 1200 x 1200 dpi printing provides clear, crisp images even on jobs with fine detail
- Network ready PCL®6 and true Adobe® PostScript®3™ printing systems with direct print function and available XPS option (standard on the MX-4141N/5141N)
- Standard Wireless LAN connects to your network or allows users to print to and scan from the device via Sharpdesk[®] Mobile
- Web Browser feature with built in PDF Viewer allows easy access to web-based information and applications (standard on the MX-5141N)
- Supports the latest Sharp OSA development platform, enabling businesses to easily integrate with network applications and cloud services
- Supports Sharp's award-winning security platform with standard 256-bit data encryption, up to 7 times overwrite protection, and convenient End-of-Lease feature



REVOLUTIONARY MFP FEATURES TO STREAMLINE YOUR WORKFLOW



Full-size retractable keyboard simplifies data entry.*



Easily edit documents in scan preview mode.



Intuitive copy screen shows options on the left and menu guidance on the right.



Available paper capacity stores up to 6,600 sheets.

Flexible design to meet the needs of your environment.

A Smart Touch-Screen Helps You Get Your Work Done Fast

The new MX-4140N/4141N/5140N/5141N color workgroup document systems feature a **10.1"** (diagonally measured) **high-resolution LCD** that goes beyond basic touch-screen menu navigation. With advanced features that include **flick**, **tap**, **slide**, **pinch and zoom**, you can quickly access the powerful functions of this new series. In addition, a **tilting display panel** provides enhanced accessibility. A built-in full-size retractable keyboard makes data entry quick and easy.*

Easily Check and Edit Your Original Document

Save time and help reduce waste by correctly executing your copy or scan job the first time. With Sharp's **real-time scan preview and edit** functions, you can quickly rotate or delete pages, insert blank sheets, remove artifacts, change the color mode, even check the staple position before executing your job. Dynamic action menus provide **feature-specific guidance**, so it is easy to determine your choices for each operation. For comprehensive, step-by-step instructions on any operation, simply open the **on-line user manual** and navigate to the feature you need.

High Image Quality You Expect with the Performance You Need

The new MX-4140N/4141N/5140N/5141N color workgroup document systems utilize a powerful multi-tasking controller designed to quickly execute complex copy, print and scan jobs even in busy office environments. Plus, with print speeds of **41** and **51 pages per minute**, this new series can help elevate your office productivity to new heights. With **1200 x 1200 dpi** print resolution and Sharp's enhanced second-generation micro-fine toner technology, your business can produce professional looking color documents with breathtaking image quality.

Flexible Configurations for Today's Unique Office Environments

This new series offers a flexible paper handling system that includes an available 2,000-sheet tandem paper drawer. With **rugged paper tray handles** for easy access and available **on-line paper capacity for up to 6,600** sheets, the machine is ready when you are. A standard 150-sheet duplex single pass feeder (on the MX-4141N/5141N), 100-sheet reversing single pass feeder (on the MX-4140N/5140N) combined with automatic trayless duplexing, electronic sorting and integrated offset stacking, allow you to complete even large jobs in a snap.

Advanced Finishing Adds the Final Touch


This series offers a choice of **four high-performance finishers** that can give your documents a professional look and feel. Choose from a **compact inner finisher**, a floor-standing 1K **saddle-stitch finisher**, a 4K saddle-stitch finisher or a 4K stacking finisher. All finishers offer three-position stapling and an available 3-hole punch.



MX-5141N shown with saddle-stitch finisher and optional MX-LC11.



VERSATILE FUNCTIONALITY FOR OPTIMAL QUALITY AND RESULTS



With Sharp's advanced job handling, you can retain print jobs on the hard drive for reprinting at a later date.



Sharp's integrated network scanning offers one-touch document distribution to multiple destinations.



Sharp's Document Filing System with thumbnail preview makes it easy to locate and retrieve stored jobs.



Advanced technologies deliver outstanding output quality and flexible document distribution at your fingertips.

Exceptional Print Quality with Professional Looking Output

With the MX-4140N/4141N/5140N/5141N color series, your business can produce brilliant, high-color documents, as well as razor-sharp B&W documents. Plus, with 1200 x 1200 dpi resolution, even documents with fine detail will look great! Easy-to-use print drivers allow you to set up complex jobs with just a few mouse clicks. The standard Adobe® PostScript® 3TM driver delivers extensive color control options, so you can manage color consistency right from your desktop. For even more flexibility, add the optional XPS kit. With Sharp's advanced job retention features, jobs can be stored on the hard disk drive to be reprinted again and again by walk-up users or from the embedded web page.

Integrated Network Scanning

With Sharp's powerful **ImageSEND** technology, you get one-touch distribution features that help centralize document workflow, reduce mail costs and save time. With **multiple destinations** including E-mail, Desktop, FTP, Network Folders (SMB and Home Directory), USB, Fax and Internet Fax, getting your document where it needs to go is as easy as pushing a button. High-volume workgroups will appreciate the **Send to Group** mode that allows users to broadcast to a mixed group of E-mail, Fax, and Internet Fax destinations for increased efficiency.* Convenient **Scan to Me** function lets logged-in users send scanned files to their own E-mail address simply by pressing the Start button, eliminating the need to enter or select an address and thereby preventing documents from being sent to the wrong destination.

Convenient E-mail Distribution and Document Management

With Lightweight Directory Access Protocol (LDAP), there's no need to manually enter a recipient's complete E-mail address. Simply enter the first few characters and it automatically searches and displays a list of matching names. And with **Sharpdesk**® personal document management software and the available Sharp OSA Network Scanner Tool (NST), users can easily organize their scanned documents and integrate them into everyday workflow.



Sharpdesk personal document software


Innovative Document Filing System For Easy Access

Sharp's easy-to-use **Document Filing System** provides a hard disk drive to **store frequently used files** like forms, templates and reports. With **thumbnail preview** mode, stored jobs can be located and retrieved quickly. An advanced backup system and PIN-access security helps ensure your files are safe. For critical environments, an optional **back-up hard disk drive** is available.

Advanced Energy Saving Features

This new color series utilizes several energy efficient technologies to minimize power consumption and maximize energy savings. An **LED exposure lamp** reduces power significantly when compared to conventional exposure lamps. A customizable seven-day power management scheduler allows businesses to define the days and times when power will be turned on and turned off. Also, with Sharp's **Auto Power Management** function the MFP can be set to shut-off automatically based

on usage trends. Sharp's **Eco-Scan** mode can **shut off the fuser** when scanning documents, previewing images, faxing and other operations. A state-of-the-art **belt fusing system** consumes less power, shortens warm-up time and helps eliminate roller marks sometimes caused by conventional fusing.



State-of-the-art belt fusing system consumes less power and shortens warm-up time.

GET MORE OUT OF NETWORK RESOURCES



Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrating With Network Applications and Cloud Services Has Never Been So Easy

With standard Application Communication and External Accounting modules, the MX-4140N/4141N/5140N/5141N color series offers **powerful document workflow capabilities** to help businesses leverage their network infrastructure, cloud-enabled services and more.* While others are limited to a small circle of productivity, the Sharp OSA development platform allows businesses to leverage the power of their network applications, back-end systems, even cloud-enabled services, right from the touch-screen panel of this new series.

Save Time, Increase Efficiency

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-4140N/4141N/5140N/5141N anywhere in the organization can display choices that were once only available on a desktop PC. With **one-touch access** to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

*Some features require optional equipment.

Customized Integration

Sharp OSA technology also provides **powerful customization**. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and **streamline workflow**, helping to save time and **optimize productivity**. The latest version of Sharp OSA technology can reach beyond the firewall, enabling cloud-based applications over the Internet. And since Sharp OSA technology utilizes industry-standard network protocols such as SOAP and XHTML, third party software developers can deliver customized solutions to your business faster than ever.

The Convenience You Want With the Security You Need

The MX-4140N/4141N/5140N/5141N color series with the Sharp OSA development platform is the logical choice for providing fast, **flexible access to documents and applications...**no matter where you are in the office. You also get the controlled access and tracking ability you require with tighter integration capabilities for network security and accounting applications.

Advanced device management tools maximize efficiency

The MX-4140N/4141N/5140N/5141N color series document systems enhance operational efficiency through versatile device management capabilities.

Sharp Remote Device Manager (SRDM)*

Make management of your MX-4140N/4141N/5140N/5141N simple and straight forward with Sharp Remote Device Manager (SRDM). This easy-to-use software allows you to take control of the versatile system features and simplifies installation and management.

- With Printer Status Monitor, network users can view printer conditions, check paper levels, toner, and more, all through an easy-to-use interface.
- With Sharp Remote Device Manager, administrators can easily manage the setup, configuration, device settings, cloning and more. Advanced features such as Remote Front Panel allow administrators and support personnel to view and control the LCD panel of the machine remotely from virtually any PC on the network. Plus, with event-driven, real-time service alerts, administrators and supervisors can achieve higher productivity. Now it is easier than ever to view service logs, click counts, history reports and more.
- Experience the convenience of an Embedded Web Page right from your desktop. This advanced web-based management tool allows users to create and manage their own network scanning destinations, profiles and web-links. Administrators can access device settings, color control, account information and security settings.

Take Charge of Color Usage and Costs

With Sharp's device management system, administrators and supervisors can **define user groups** on the MX-4140N/4141N/5140N/5141N to manage and restrict features, such as color copying, scanning or printing. Easily set up a custom user group to manage page counts (copy, print, scan or fax operations) for both color and B&W. This helps to simplify cost management of color imaging. The MX-4140N/4141N/5140N/5141N can store profiles for up to 1,000 users.

24/7 Training with My Sharp™

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp** website. This dedicated customer training website is customized to your MX-4140N/4141N/5140N/5141N and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



Embedded Web Page

HEIGHTENED SECURITY HELPS PROTECT YOUR BUSINESS



To help protect your data, the MX-4140N/4141N/5140N/5141N offers several layers of **standard security**, making Sharp the optimum choice to help protect employees' privacy and intellectual property.* As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing, scanning and faxing.

Authority Groups

Advanced account management enables administrators to set authority groups for access to features of the MX-4140N/4141N/5140N/5141N. Administrators can control which department, for instance, has full access to copying, printing, scanning and/or fax. Walk-up users enter a Code, Local Name and Password, or LDAP User Authentication to access the features assigned to their group.

Data Overwrite and Encryption

To help protect your data, the MX-4140N/4141N/5140N/5141N can encrypt document data using **AES** (Advanced Encryption Standard) **256-bit encryption**. The MX-4140N/4141N/5140N/5141N can also erase the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering an unprecedented level of assurance. A convenient **End-of-Lease** feature overwrites all data, including document filing, user data, job status, date and address book.

Network Scanning Access Control

To help protect your network from unauthorized E-mail communications, the MX-4140N/4141N/5140N/5141N supports **User Authentication**, requiring users to login before performing any network scanning operations.

Control Device Access Over the Network

To help restrict access to the device over the network, the MX-4140N/4141N/5140N/5141N offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC address** filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

*Some features require optional equipment and/or software.

🔁 Documents Remain Confidential

The MX-4140N/4141N/5140N/5141N offers **Confidential Printing**, which when used, requires users to enter a PIN code in order to print a queued document. To help protect your direct-print documents from unauthorized viewing, the MX-4140N/4141N/5140N/5141N offers encrypted PDF printing and scanning. Additionally, **Secure Fax Release** ensures received fax documents are held in memory until an authorized user enters a PIN code, so that compliance with healthcare regulations such as the Health Insurance Portability and Accountability Act (HIPAA) is easier.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software which allows users to control, access and track usage of each device on the network.

Data Security Kit (Optional)

For maximum protection, the optional data security kit offers additional features, such as Data Overwrite On-demand and at Power Up, Document Filing access control, Incorrect Password Lockout, Restricted Status Display and List Printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business to meet regulatory requirements such as HIPAA, and the Gramm-Leach-Biley Act (GLB). For additional information visit: www.sharpusa.com/security.

ENVIRONMENTAL COMMITMENT









An Environmentally Responsible Approach to Product Design

The MX-4140N/4141N/5140N/5141N utilizes Sharp's advanced micro-fine toner technology, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully recyclable materials. Long-life consumable parts help minimize service intervals and down time, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. All Sharp document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero waste land fill recycling for all Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a three-time winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a four-time winner of the SmartWay® Excellence Award, which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation. Sharp was also a previous recipient of the Excellence in Partnership Green Contractor Award and the Evergreen Award from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

Global Initiatives

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-4140N/4141N/5140N/5141N SPECIFICATIONS

Month Mont	Main Specificatio	ns	Network Printing	System	1K Saddle Stitch	Finisher (option)
Manual M						Console finisher with dual exit trays (mounts on left side
The content of the			Resolution		**	of host machine)
The part		and Adobe® PostScript® 3™ printing systems, network scanning,	Print Speed	41/51 pages per minute (8½" x 11")	Output Trays	Upper tray: Offset stack tray
Page 10		auto duplexing, 2 x 500-sheet paper drawers, 100-sheet bypass	Print Drivers	Windows XP, Windows XP x64, Windows Server® 2003, Windows		Lower tray: Book tray for saddle stitch
					Output Capacity	1,000 sheets (letter/statement size) or 500 sheets
Ministry Control Con		,				
March Control Contro	Display				Stapling	
Section Continue						
Margin Control Contr			Features			
	Copy System					
Manual Part	Originale					
Composition 100 10						
Mary Service Mary						
Ministration Mini						
Part						Approx. 70 W or less (MX-FN10)/138 W or less (MX-FN18)
Second Part Class Clas						,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,
Common C		Black Color Black Color Black Color Black Color		punching, stapling, tab paper print, tab printing, toner save mode,		Optional three-hole punch unit MX-PNX5B (MX-FN10)/
Dare Friending 15th		Platen Glass 4.7 6.7 4.7 6.7 4.1 5.7 4.1 5.7		transparency inserts, tray status, user authentication, watermarks,	-	MX-PNX6B (MX-FN18)
Magnification 25 No. 40/05 in \$4.00 to 15		Doc. Feeder 7.7 9.8 7.4 10.3 7.0 8.8 6.7 9.2		zoom print1	Weight	Approx. 88 lbs. (MX-FN10)/Approx. 161 lbs. (MX-FN18)
Methods: Fig. 588, 169 page. Feed and USB memory Welforch Fig. 588, 169 page. Feed and USB memory Welf	Warm Up Time	30 seconds or less ²	Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted	Dimensions	MX-FN10 (with tray extended): Approx. 26" (w) x 25" (d) x 39" (h)
Record Food Sep First things also described. Record Food Sep Outline Food Record Sep Outline Food Sep Outline Food Record Record Sep Outline Food Record Sep Outline Food Record Reco						MX-FN18 (with tray extended): Approx. 30" (w) x 25" (d) x 44" (h)
Sear Specific Copyright to 15 8th File displayed Specific Mission (Specific Copyright to 15 8th File displayed Specific Mission (Specific Copyright to 15 8th File displayed Specific Mission (Specific Copyright to 15 8th File Mission (Spec	Original Feed					
Dept Copy 10 15 P Copy 10 15 P PM single 15 PM single					_	
Find patient upper from year	Scan Speed				Type	
Degree Capacity Service (1994 to 1995 to 1994 to 1994 to 1995 to 1994 to 1			Operating Systems		Outros de Tronso	
Paper Favor Systems and 100 Sheetch Maximum. Gold Sheet Management and Standard (2) 50 Sheet Regular following for Sheet Standard (2) 50 Sheet Regular following following following following standard (2) 50 Sheet Regular following follo	Original Cines					
Submount Paper Feed System Summount 21 50 0 shoot paper device feed profession feed					Output Gapacity	
seig and 100-sheet bypass tray (eitherheaptilesperishatement) where the provided as 200, Drinker Stigle or dubble desempted action, 200 and 1,000 sheets), trained maper desk 2,000 sheets), letterleapty in the provided as a strict period of 1,000 sheets), trained maper desk 2,000 sheets), letterleapty in the provided as a strict period of 1,000 sheets), trained maper desk 2,000 sheets), letterleapty in the provided as a strict period of 1,000 sheets), trained maper desk 2,000 sheets), letterleapty in the provided as a strict period and color paper and types of 1,000 sheets), the prevent of provided as a strict period of 1,000 sheets), the prevent of provided as a strict period of 1,000 sheets), the prevent of provided as a strict period of 1,000 sheets), the prevent of provided as a strict period of 1,000 sheets), the prevent of 1,000 sheets of 1,000 sheets of 1,000 sheets), the prevent of 1,000 sheets of 1,000 sheets of 1,000 sheets of 1,000 sheets), the prevent of 1,000 sheets of					Ctanling	
werdispe state), Optional: Single or clubile crawer paper dock, (20 ord cells, interlegable per developer) facilities in paper developer) facilities in paper developer) facilities in 100 sheets, fundamental paper developer) facilities in 100 sheets fundamental paper developer. The 100 sheets fundamental paper developer fundamental paper developer fundamental paper developer. The 100 sheets fundamental paper developer fundamental paper developer. The 100 sheets fundamental paper developer. The 100 sheets fundame	rapei i eeu systeii		Natwork Protocole			
Unit, PMSP* for Novel environments. ElberTark* Application of Seption (Septiment Septiments) and the page of pages 1921 in 150 and 50 fb. cover. Other pages repier include part Types Approx. 97 (bc. 2005) bond of 50 fb. cover. Other pages repier include part Types Pages travers: 16 fb. bond of 50 fb. cover. Other pages repier include pages. Pages travers: 16 fb. bond of the pages. Pages travers: 16 fb. bond of bits pages. Pages travers: 16 fb. bond of the pages travers: 16 fb. bond of the pages travers: 16 fb. bond of the		, , , , , , , , , , , , , , , , , , , ,	NCWOIK I TOLOGOIS			••
Independent size. Machinish environments.						
Paper May 1948 and Types a						••
Space Park Paper printed, recycled, pre-parthed, etherhead and color paper, Paper by Paper Pap	Paper Weights		Printing Protocols			7 - 17 - 1 - 17 - 17
Pipers Intery 16-28 h. Dond plant pages, 13-16 b. Dond plant pages, 13-16			· ·		Optional Equipme	ent
enesteept, this paper (elter), Also labed paper, gloss paper, pre-printed, regolded, pre-punched, lattribend, cold prepare and OPP IIII. Dupleoing Standard automatic duplex copying and printing PCPU Up to 1.8 GHz mith processor disapility		Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond (thin paper),	Network Security	IP/MAC address filtering, protocol filtering, port management, user	MX-DE21	Stand + 2,000-sheet Tandem Paper Drawer
Progress		80-110 lb. cover (heavy paper), 20-24 lb. bond (Monarch/Com-10		authentication and document administration ¹	MX-DE22	Stand/1 x 500 Sheet Paper Drawer
Network Scaming System Network Scaming Sys		envelope), tab paper (letter). Also label paper, gloss paper, pre-printed,	Security Standards	s IEEE-2600™-2008, DoD (NSTISSP) #11, CAC/PIV access control¹	MX-DE23	Stand/2 x 500 Sheet Paper Drawer
Port Up to 1.5 Girk multi-processor design Interface						
Max Original Size 11" x 17" Max Original Size 11" x 17						Large Capacity Tray (requires MX-DS18/DE21/22/23)
and rearl, USB 2.0 ft device port, rear) Memony Standard 4 66 post-pyrint (sharard)Hard Disk Drive: 20 6B Hard Disk Drive Color Modes Auto Color Selection (ACS), Full Color Mode, Modes, Color Qui, 40 dgi, 300 dgi, 200 d						
Memory Standard 4 GB copy/print (shared)-Hard Disk Drive: 320 GB Hard Disk Drive: 320 GB Sacri B&Wicolor: 600 x 600 dpi: Copy Output B&Wic	Interface					
Bard Disk Orive 320 GB Copy Restution Scan: B&Woolcr: 600 x 600 dp; Copy Output: B&Woolcr: 600 x 600 dp; Copy Outp						
Scan Ball/wolor (900.400) dpi; Copy Cutput: Ball/wolor (900.400) dpi; Copy Copy Copy Copy Copy Copy Copy Copy						
Exposure Control Auto Color Selection (ACS), Full Color Mode, Monoternore (RVM) Modes: Automatic, Text, Text/Priot, Text			illage ruillats			
Exposure Control Modes: Automatic. Text, Text/Photp., Text/Phinted-Photp., Text/Phinted-Photp., Proto, Map, Pale-Color Document. Settings: Auto or 9 step manual Photo with proto with proto and protocoments. Protocoments of the protocoment of the protocomen						
Photo, Map, Pale-Coulr Document, Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scar-Once Print-Mary, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selecting (ACS), Auto Paper Selection (ACS), Auto Pap			Image			
Halflone 256 gradations/2 levels (monochrome) Scan-Choce Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ARS), Auto Paper Selection (APS), Auto Magnification (APS), Auto Magnification Selection (APS), Auto Magnification Magnification Selection (APS), Auto Magnification Selection (APS), Auto Magnification Selection (APS), Auto Magnif	Exposure control					
Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Pager Selection (APS), Auto Magnification Selection (ACS), Auto Pager Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image drill, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphet skyle, proof copy, repeat layour, reserve copy, rester to a copy, reserved sevent, reserve copy, rester to a copy, reserved sevent mage of the copy, table pager insertion, tandem copy, tone save mode, transparency inserts, settlements, 2-in-14-in-17-8-in-1 multi shot copy, table-pager insertion, tandem copy, tone save mode, transparency insertis, vatermark, 2-in-14-in-17-8-in-1 multi shot capacity exit tray: 100 sheets (face down) Output Tray Main output tray (flop): 400 sheets (face down) Firmware Hash ROM with local (USB), network update capability and firmware with a capability and firmware with agenement update 1 in N with SRDM (Sharp Remote Device Manager) Device Setup Service/Functions Remote from (APS), Auto Magnification Super stack (potion) Super G3 fax (option) MX-HX1 Internet Fax Kit Accombiled MX-HX11 Internet Fax Kit AR-SU1 Stamp Cartridge MX-PX1 Internet Fax Kit AR-SU1 Stamp Cartridge MX-PX1 Internet Fax Kit AR-SU1 Stamp Cartridge MX-RSU1 Stamp Cartridg	Halftone		Comprocolom			Staple Cartridge (5,000 staples) (requires MX-FNX9/FN10)
Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skyl, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, mangin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphitet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-174-in-17-bi-in-1 multi shot Account Control Up to 1,000 users. Supports user-number authentication, login name/password or login name/LDAP password Output Tray Man output tray (top): 400 sheets (face down); optional right side exit tray; 100 sheets (face down); optional right side Primware Hash RNM with local (USS), network update capability and firmware update 1 to N with SPDM (Sharp Remote Device Manager) Everice Fruintons Remote From the Account of the Mix-Pays of the Service/Fruintons Remote front panel, adjustment of key touch sound and speed, concave Features Revice From the Management Infront panel, adjustment of key touch sound and speed, concave Results for paper trays, and disable screen timeout Accessibility If front panel, adjustment of key touch sound and speed, concave Revice Fruintons Revice From panel, adjustment of key touch sound and speed, concave Revice From panel, adjustment of key touch sound and speed, concave Revice Fruintons Revice From panel, adjustment of key touch sound and speed, concave Revice Fruintons Revice fr		, ,	Scan Destinations			Staple Cartridge (5,000 staples) (requires MX-FN11/18)
blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, inage edit, image preview, insert pages, bot build, lob programs, margin shift, mirror image, mixed size original, multi-page enlargement, original coupt, stamp, stamp custom image, supress background, that both copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot copy, stamp, stamp custom suser-number authentication, login name/password or login name/password or login name/password or login name/LDAP password Output Tray Management update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/coloning with user-dambins remote login Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Features Hower Ac 100-127 VAC, 60 HZ, 16 Amps Program (AC) 100-127 VAC, 60 HZ, 16 Amps Power Ac 100-127 VAC, 60 HZ, 16 Amps Possiblations Destinations 48 (combined) MX-PTI1 3 Center Exit Tray MX-PDIX NSP Expansion Kit MX-PSTVI Internet Fax Kit MX-PFI0 Bar Code Fort Kit MX-FVX1 Internet Fax Kit MX-FVX1 Internet Fax Kit MX-FVX1 Stamp Cartridge) MX-FX11 Stamp Unit requires AR-SV1 Stamp Cartridge) MX-FXVI MX-FVXI MX-FVXI MX-FVXI MX-FVXI MX-FVXI Internet Fax Kit MX-FVXI MX-FVXI MX-FVXI MX-FVXI MX-FVXI MX-F	.,					Staple Cartridge (2,000 staples) (requires MX-FN10/18)
centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency insertis, watermark, 2-in-1/4-in-1/8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency insertis, watermark, 2-in-1/4-in-1/8-in-1 multi shot paper insertion, bandem copy, toner save mode, transparency insertis, watermark, 2-in-1/4-in-1/8-in-1 multi shot pages insertion, tandem copy, toner save mode, transparency insertis, watermark, 2-in-1/4-in-1/8-in-1 multi shot pages insertion, tandem copy, toner save mode, transparency insertis, watermark, 2-in-1/4-in-1/8-in-1 multi shot pages insertis, wate		Selection (AMS), Auto Tray Switching (ATS), black-white reversal,	One-touch	Up to 2,000 (combined scan destinations)	MX-TRX2	Right Exit Tray
Image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeated copy, stamp, stamp custom image, suppress background, tab copy, tab-pager insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot copy inserts, watermark, 2-in-1		blank page skip, book copy, book divide, card shot, center erase,	Destinations		MX-TU13	Center Exit Tray
mirror image, mixed size original, multi-page enlargement, original count, pamphilet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, landern copy, lorner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Account Control Up to 1,000 users. Supports user-number authentication, login name/password or login name/DAP password Output Tray Main output tray (top): 400 sheets (face down): optional right side Capacity Erimware Flash ROM with local (USB), network update capability and firmware Management update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, adjustment of key touch sound and speed, concave Features key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout Environmental International Energy Star Program Ver. 2.0, Canadian EcoLogo Fower AC 100-127 VAC, 60 HZ, 16 Amps Mix-BX1 Internet Fax Kit MX-PF10 Bar Code Font Kit AR-SU1 Stamp Unit (requires AR-SV1 Stamp Cartridge) AR-SU1 Stamp Cartridge) AR-SU1 Stamp Catrridge AR-SU1 Stamp Catrridge AR-SU1 Stamp Catrridge AR-SU1 Stamp Catrridge MX-HS11N Keyboard (standard on the MX-4141N/5141N) Keyboard (standard on the MX-4141N/5141N) Keyboard (standard on the MX-4141N/5141N) MX-EB12N MX						
Count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/ 4-in-1/ 8-in-1 multi shot paper insertion, tandem copy, toner described in the MX-4141N/5						
Copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot solution inserts, watermark, 2-in-1 / 4-in-1 multi shot solution inserts, watermark, 2-i						
tat-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Account Control Up to 1,000 users. Supports user-number authentication, login name/LDAP password or login name/LDAP password Output Tray Main output tray (top): 400 sheets (face down): optional right side apadity and agenetic primware Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, adjustment of key touch sound and speed, concave features key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout Environmental International Energy Star Program Ver. 2.0, canadian EcoLogo Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Power AC 100-127 VAC, 60 HZ, 16 Amps			Network Protocols			
inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Account Control Up to 1,000 users. Supports user-number authentication, login name/password or login name/LDAP password Output Tray Main output tray (top): 400 sheets (face down): optional right side exit tray: 100 sheets (face down): optional right side exit tray: 100 sheets (face down): Anagement update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, edgiustent of key touch sound and speed, concave Features key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout Environmental International Energy Star Program Ver. 2.0, Canadian EcoLogo Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Fower AC 100-127 VAC, 60 HZ, 16 Amps.						
Account Control Up to 1,000 users. Supports user-number authentication, login name/password or login name/LDAP password Output Tray Main output tray (top): 400 sheets (face down); optional right side capacity Erimware Firmware Flash ROM with local (USB), network update capability and firmware Management update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Till front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Fewer AC 100-127 VAC, 60 HZ, 16 Amps Vine Lagrange and STAK tit (option) (1 user license included), Sharpdesk Mobile (download) MX-EB12 MK-EB12 MKX-EB12 MX-EB12N MX-EB12N MX-EB12N MX-EB14N MX-EB12N						
Name/password or login name/LDAP password Output Tray Main output tray (top): 400 sheets (face down); optional right side Capacity exit tray: 100 sheets (face down) Transmission Mode Super G3, G3 MX-ED3 MX-ED3 AMX-ED3 CAC Reader (requires Data Security Kit) AmX-AMX1 Application Indeption Indeption Indeption Indeption Indeption Indeption Internation Indeption MX-B12N MX-ED3 CAC Reader (requires Data Security Kit) AMX-B12N MX-B12N	A t O t l		Software			
Output Tray Main output tray (top): 400 sheets (face down); optional right side Capacity exit tray: 100 sheets (face down) Transmission Mode Super G3, G3 MX-AMX1 Application Integration Module Capability and firmware Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Manager) Modem Speed 33.6 KBPS³ MX-AMX1 Application Integration Module Modem Speed 33.6 KBPS³ MX-AMX1 Application Integration Module MX-FR42U Commercial Data Security Kit (not available at time Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Tilf front panel, adjustment of key touch sound and speed, concave Features key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout Environmental International Energy Star Program Ver. 2.0, Canadian EcoLogo Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Power AC 100-127 VAC, 60 HZ, 16 Amps Capability and firmware and program ver. 2.0, Canadian EcoLogo International Energy Star Program Ver. 2.0, Canadian EcoLogo International Energy Star Program Ver. 2.0, Canadian EcoLogo International Energy Star Program Ver. 2.0, Canadian EcoLogo Indoor Eax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-FaX MX-51NYBA Black Developer International Energy Star Program Ver. 2.0, Canadian EcoLogo Indoor Eax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-FaX MX-51NYBA Black Developer	Account Control			(1 user license included), Snarpdesk Mobile (download)		
Capacity exit tray: 100 sheets (face down) Transmission Mode Super G3, G3 MX-AMX1 Application Integration Module Firmware Flash ROM with local (USB), network update capability and firmware Management update 1 to N with SRDM (Sharp Remote Device Manager) Bevice Setup Web-based management/cloning with user/administrator level logint Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Tilt front panel, adjustment of key touch sound and speed, concave Key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout universal grip for paper trays, and disable screen timeout Randard Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Long Originals Up to 33 1/4" (for transmission) MX-AMX1 Application Integration Module MX-FIRVID WX-FIRVID Application Integration Module MX-AMX1 Application Integration Module MX-AMX1 MX-FIRVID WX-FIRVID Application Integration Module MX-AMX1 MX-FIRVID WX-FIRVID MX-FIRVID Application Integration Module MX-AMX1 MX-FIRVID WX-FIRVID MX-FIRVID Application Integration Module MX-FIRVID MX-FIRVID Application Integration Module MX-FIRVID MX-FIRVID Application Integration Module MX-FIRVID Application Integration Module MX-FIRVID Application Integration Module MX-FIRVID Application Integration MX-F	Output Tray		DSW Cupor C2 Ea	av Kit (antion)		The second secon
Firmware Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Methods Service/Fourctions Remote front panel, remote access to service logs and click counts Accessibility Till front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout funiversal grip for paper trays, and disable screen timeout Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Sender South Roman Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Long Originals Up to 33 1/4" (for transmission) MX-AM10 Web Browsing Expansion Kit (standard on the MI MX-FRA2U Commercial Data Security Kit (not available at the MX-FRA2U Obmercial Data Security						
Management update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloining with user/administrator level login Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Tift front panel, adjustment of key touch sound and speed, concave with speed free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout universal grip for paper trays, and disable screen timeout at Data Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Standards Pogram (CCD-035), Blue Angel (RAL-UZ171), European RoHS Long Originals Up to 33 1/4" (for transmission) MK-FR42U Commercial Data Security Kit (not available at time betwood to pove the devise of the part of the power land) and speed, concave with Super dayles or duplex or book Max. Resolution 400 dpi						
Device Setup Web-based management/cloning with user/administrator level login Service/Functions Service Service Seaning Methods Service Seaning Methods Service Seaning Methods Service Seaning Method Service Seaning Method Service Seaning Method Method Seaning Method Method Seaning Method Method Method Seaning Method						Commercial Data Security Kit (not available at time of launch)
Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Tilt front panel, adjustment of key touch sound and speed, concave Features key, document feeder free stop, job programs, remote front panel, and biashies careen timeout a functional Energy Star Program Ver. 2.0, Canadian EcoLogo Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Inbound Fax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax MX-51NVBA Black Developer New For AC 100-127 VAC, 60 HZ, 16 Amps Scanning Method Sheet fed simplex or duplex or book MAX. Resolution 400 dpi 40						
Accessibility Features key, document feeder free stop, job programs, remote front panel, and biseles core minersal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 2.0, Canadian EcoLogo Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indianal Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Indian				Sheet fed simplex or duplex or book		
Features key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout Auto Dialing Up to 2,000 (combined scan destinations) MX-51NTCA Cyan Toner Cartridge MX-51NTCA Cyan Toner Cartridg					Supplies	
universal grip for paper trays, and disable screen timeout Auto Dialing Up to 2,000 (combined scan destinations) MX-51NTCA Cyan Toner Cartridge MX-51NTMA Magenta Toner Cartridge MX-51NTMA Magenta Toner Cartridge MX-51NTMA Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Inbound Fax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax' Power AC 100-127 VAC, 60 HZ, 16 Amps Up to 33 1/4" (for transmission) MX-51NTMA MX-51NTMA MX-51NTVBA Black Developer				•		Black Toner Cartridge
Environmental International Energy Star Program Ver. 2.0, Canadian EcoLogo Group Dial Up to 500 destinations MX-51NTMA Magenta Toner Cartridge Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Inbound Fax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax MX-51NTYA Yellow Toner Cartridge Power AC 100-127 VAC, 60 HZ, 16 Amps Up to 33 1/4" (for transmission) MX-51NVBA Black Developer		117 1 0 1				
Standards Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Inbound Fax Routing Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax V Yellow Toner Cartridge Power AC 100-127 VAC, 60 HZ, 16 Amps Long Originals Up to 33 1/4" (for transmission) MX-51NVBA Black Developer	Environmental			Up to 500 destinations		
	Standards			g Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax, I-Fax ¹		
Private Consumption 1 02 kW or less Programs 48 (combined) MV 5180CA Cyan/Massarta/Vallay Dayslands				Up to 33 1/4" (for transmission)		
			Programs	48 (combined)	MX-51NVSA	Cyan/Magenta/Yellow Developer
Weight MX-4140IV/5140N: Approx. 262 lbs./MX-4141N/5141N: 278 lbs. Memory 1 GB MX-31NRSA Drum						
Dimensions Approx. 25%" (w) x 30" (d) x 38" (h) Halftone 256 levels MX-510HB Toner Collection Container	Dimensions	Approx. 251/2" (w) x 30" (d) x 38" (h)	Halftone	256 levels	MX-510HB	Loner Collection Container

¹ Some features require optional equipment. See your local dealer.













SHARP ELECTRONICS CORPORATION Sharp Plaza, Mahwah, NJ 07495-1163 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners.



May vary depending on product configuration, machine settings and operating and/or environmental conditions.

 $^{^{\}rm 3}$ Actual transmission time will vary based on line conditions.

⁴ Based on Sharp Standard Test Chart with approximately 700 characters, letter size in standard resolution.