

ESSENTIALS SERIES MONOCHROME DOCUMENT SYSTEMS





The new Sharp Essentials Series monochrome workgroup document systems deliver full multifunction capability and offer excellent value.

MULTITASKING PERFORMANCE WITH EXCEPTIONAL VERSATILITY

The new MX-M364N, MX-M464N and MX-M564N monochrome document systems offer flexible multitasking workflow features and high quality output at speeds up to 56 pages-per-minute.

Designed for busy workgroup environments, these models combine versatile paper handling with robust finishing options in a compact modular design that is also affordable. The new Sharp Essentials Series can help virtually any office accomplish more in less time.

Key Features

- Standard full multifunction capability out-of-box includes copying, PCL $^{\circledR}$ 6 network printing and color network scanning for today's demanding office environments
- High-capacity tandem paper drawer and productive inner finisher options provide high functionality in a compact footprint
- Heightened security, including 256-bit data encryption, up to seven-times overwrite protection,
 and a convenient End-of-Lease feature that erases all user data and job history at trade-in time

The new MX-M364N, MX-M464N and MX-M564N monochrome document systems have been built on the Sharp OSA® development platform, making integration with network applications and cloud services easier than ever. And Sharp's energy efficient design offers low power consumption and fast warm-up time.

DESIGNED TO DELIVER PERFORMANCE AND PRODUCTIVITY



A flexible design plus multi-functional capability to help streamline your document workflow.

- 500 + 2,000-sheet tandem paper drawer option expands maximum online paper capacity to 6,600 sheets
- Flexible paper handling system feeds up to 80 lb. cover through the paper trays and up to 110 lb. cover through the bypass tray
- Scan documents at up to 56 IPM with the standard 100-sheet reversing single pass document feeder
- 7" (diagonally measured) color touch-screen display with intuitive menu navigation

OUT-OF-BOX FULL
MULTIFUNCTION CAPABILITY

AVAILABLE TANDEM PAPER DRAWER AND COMPACT INNER FINISHER

STANDARD DATA ENCRYPTION AND DATA OVERWRITE PROTECTION



- ImageSEND™ function scans documents to E-mail, network folders, USB devices and more
- Available retractable keyboard allows quick and easy data entry
- 600 x 600 dpi printing provides clear, crisp images even on jobs with fine detail
- Network ready PCL[®] 6 and available PostScript[®] 3™ printing systems with direct print function
- Supports Sharp's enhanced security platform with standard 256-bit data encryption, up to 7 times overwrite protection, and convenient End-of-Lease feature
- Supports the **Sharp OSA®** development platform, enabling businesses to easily integrate with network applications and cloud services
- Energy efficient design offers low power consumption and fast warm-up



ESSENTIAL FEATURES TO MANAGE YOUR WORKFLOW



Standard 100-sheet RSPF scans up to 56 images-per-minute.



Up to 6,600-sheet paper capacity with available options.



Available compact inner finisher with 50-sheet staple capacity.

A full-featured MFP that is also a strong value – the MX-M364N/M464N/M564N Essentials Series monochrome document systems will exceed your expectations.

Out-of-Box Multifunction Capability

The MX-M364N/464N/564N Essentials Series comes standard with full multifunction capability, including **PCL 6 network printing** and **color network scanning**. Now, it is easier than ever to get the essential features you need. Sharp's PCL6 printing system provides clear, crisp output at 600 x 600 dpi. Print reports, presentations and other documents with professional looking results. For even more productivity, add the optional PostScript® 3^{TM} expansion kit. **Sharp's ImageSEND** feature enables users to scan documents to multiple destinations, including E-mail, desktop, FTP, network folders and more. The standard 100-sheet reversing single pass document feeder can scan both monochrome and color documents.

Configurations for Virtually Any Size Office or Workgroup

Sharp understands the importance of productivity, which is why the new Essentials Series monochrome document systems offer up to **6,600-sheet paper capacity** and support media types up to 80 lb. cover (220 gsm) through the paper drawers and up to 110 lb. cover (300 gsm) through the bypass tray. For high productivity in small spaces, add the tandem paper drawer, which expands the on-board paper capacity to 3,100 sheets without enlarging the footprint of the machine. For even more productivity in a small space, add the 500-sheet inner finisher. For advanced configurations, a **3,500-sheet** large capacity cassette, as well as a choice of floor-standing saddle-stitch finishers are also available.

Enhanced Security Features to Help Protect Your Data

The MX-M364N/464N/564N Essentials Series offers several layers of standard security to **protect your business and user information**. Standard features include data encryption, data overwrite protection, confidential printing and more. And, with Sharp's convenient **End-of-Lease feature**, all job data and user data can be easily erased at time of trade in.



The MX-M364N/M464N/M564N Essentials Series monochrome document systems utilize a multi-processor controller designed to quickly execute complex print and copy jobs at speeds up to 56 ppm.

versatile design

Easy-to-Use Color Touch-Screen
7" LCD provides quick access to
features with intuitive menu navigation.*

Reversing Single Pass Feeder (RSPF) Standard 100-sheet reversing feeder scans documents at up to 56 IPM. Advanced Network Scanning
Sharp's ImageSEND™ feature
provides one-touch document
distribution to multiple destinations.

High Quality Printing 600 x 600 dpi resolution produces razor-sharp documents. Available PostScript drivers offer extensive job control.

Available Retractable Keyboard QWERTY keyboard enables easy data entry.

In-line Stapling
Produce professional-looking
corner-staple or edge-staple
documents up to 50 pages.

Saddle-Stitch Finisher Make high quality saddle-stitch booklets up to 60 pages. 100-Sheet Multi-Bypass Feeds paper from 5-1/2" x 8-1/2" to 12" x 18" and media up to 110 lb. cover (300 gsm).

Enhanced Security Features 256-bit data encryption and data overwrite, as well as Sharp's convenient End-of-Lease feature.

On-board Document Storage Sharp's easy-to-use document filing system enables users to store frequently used files.

The ships in the s

The MX-M564N shown with compact inner finisher.

Advanced Finishing

Sharp gives you a choice of four high-performance finishers to give your documents a professional look. Choose from a compact inner finisher to a high capacity, floorstanding saddle-stitch finisher.

Flexible Paper Handling
Offers a variety of paper feed
options, including a 500 +
2,000-sheet tandem paper
drawer for high productivity.

Large Capacity Cassette
Available large capacity
cassette adds an additional
3,500 sheets of letter paper
for a total on-line capacity of
6,600 sheets with options.

GET MORE OUT OF NETWORK RESOURCES



Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrate with Network Applications and Cloud Services
With optional Sharp OSA modules, the MX-M364N/M464N/M564N
Essentials Series offers enhanced document workflow capabilities to
help businesses leverage their network infrastructure, cloud-enabled
services and more.* While others are limited to a small circle of productivity,
the Sharp OSA development platform allows businesses to leverage the
power of their network applications, back-end systems, even cloud-enabled
services, right from the touch-screen panel of this new series.

Save Time, Increase Efficiency

You'll save time and increase the efficiency of everyday tasks with Sharp OSA technology because it can be virtually seamless to the user. Any MX-M364N/M464N/M564N anywhere in the organization can display choices that were once only available on a desktop PC. With **one-touch access** to business applications via Sharp OSA integration, you can start and finish a document distribution task without worry.

*Some features require optional equipment and/or software/services.

Customized Integration

Sharp OSA technology also provides **powerful customization**. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and **streamline workflow**, helping to save time and **optimize productivity**. The latest version of Sharp OSA technology can reach beyond the firewall, enabling cloud-based applications over the Internet. And since Sharp OSA technology utilizes industry-standard network protocols such as SOAP and XHTML, third party software developers can deliver customized solutions to your business faster than ever.

The Convenience You Want with the Security You Need

The MX-M364N/M464N/M564N Essentials Series with the Sharp OSA development platform is the logical choice for providing fast, **flexible access to documents and applications...**no matter where you are in the office. You also get the controlled access and tracking ability you require with tighter integration capabilities

ability you require with tighter integration capabilities for network security and accounting applications.

ADVANCED DEVICE MANAGEMENT TOOLS MAXIMIZE EFFICIENCY

The MX-M364N/M464N/M564N monochrome series document systems enhance operational efficiency through versatile device management capabilities.

Sharp Remote Device Manager (SRDM)*

Make management of your MX-M364N/M464N/M564N simple and straightforward with Sharp Remote Device Manager (SRDM). This easy-to-use software allows you to take control of the versatile system features and simplifies installation and management.

- With Printer Status Monitor, network users can view printer conditions, check paper levels, toner, and more, all through an easy-to-use interface.
- With Sharp Remote Device Manager, administrators can easily manage the setup, configuration, device settings, cloning and more. Advanced features such as Remote Front Panel allow administrators and support personnel to view and control the LCD panel of the machine remotely from virtually any PC on the network. Plus, with event-driven, real-time service alerts, administrators and supervisors can achieve higher productivity. Now it is easier than ever to view service logs, click counts, history reports and more.
- Experience the convenience of an Embedded Web Page right from your desktop. This advanced web-based management tool allows users to create and manage their own network scanning destinations, profiles and web links. Administrators can access device settings, quality control, account information and security settings.

Take Charge of Usage and Costs

With Sharp's device management system, administrators and supervisors can **define user groups** on the MX-M364N/M464N/M564N to manage and restrict features, such as copying, scanning or printing. Easily set up a custom user group to manage page counts (copy, print, scan or fax operations). This helps to simplify cost management of imaging. The MX-M364N/M464N/M564N can store profiles for up to 1,000 users.

24/7 Training with My Sharp™

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp** website. This dedicated customer training website is customized to your MX-M364N/M464N/M564N and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



Available retractable keyboard simplifies data entry.

HEIGHTENED SECURITY HELPS PROTECT YOUR BUSINESS



To help protect your data, the MX-M364N/M464N/M564N offers several layers of **standard security**, making Sharp the optimum choice to help protect employees' privacy and intellectual property. As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing, scanning and faxing.

Authority Groups

Advanced account management enables administrators to set authority groups for access to features of the MX-M364N/M464N/M564N. Administrators can control which department, for instance, has full access to copying, printing, scanning and/or fax. Walk-up users enter a Code, Local Name and Password, or LDAP User Authentication to access the features assigned to their group.

Data Overwrite and Encryption

To help protect your data, the MX-M364N/M464N/M564N can encrypt document data using **AES** (Advanced Encryption Standard) **256-bit encryption**. The MX-M364N/M464N/M564N can also erase the temporary memory on the hard drive by overwriting the encrypted data up to seven times, offering a heightened level of assurance. A convenient **End-of-Lease** feature overwrites all data, including document filing, user data, job status, date and address book.

Network Scanning Access Control

To help protect your network from unauthorized E-mail communications, the MX-M364N/M464N/M564N supports **User Authentication**, requiring users to login before performing any network scanning operations.

Control Device Access Over the Network

To help restrict access to the device over the network, the MX-M364N/M464N/M564N offers IPsec, SMB and extended support for **SSL Encryption** (Secure Sockets Layer), **IP/MAC address** filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

*Some features require optional equipment and/or software.

Documents Remain Confidential

The MX-M364N/M464N/M564N offers **Confidential Printing**, which when used, requires users to enter a PIN code in order to print a queued document. To help protect your direct-print documents from unauthorized viewing, the MX-M364N/M464N/M564N offers encrypted PDF printing and scanning. Additionally, **Secure Fax Release** ensures received fax documents are held in memory until an authorized user enters a PIN code, so that compliance with healthcare regulations such as the Health Insurance Portability and Accountability Act (HIPAA) is easier.

Tracking and Auditing Information

Legislation and industry policies require companies to be more aware of information flow from their offices. Sharp offers both built-in and additional hardware/software, which allows users to control, access and track usage of each device on the network.*

Data Security Kit (Optional)

For maximum protection, the optional data security kit offers additional features, such as Data Overwrite On-demand and at Power Up, Document Filing access control, Restricted Status Display and List Printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements such as HIPAA and the Gramm-Leach-Bliley Act (GLB). For additional information visit: www.sharpusa.com/security.











An Environmentally Responsible Approach to Product Design

The MX-M364N/M464N/M564N utilizes Sharp's advanced micro-fine toner technology, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully recyclable materials. Long-life consumable parts help minimize service intervals and down time, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. The MX-M364N/M464N/M564N document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay® Excellence Award, which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation. Sharp was also a previous recipient of the Excellence in Partnership Green Contractor Award and the Evergreen Award from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

Global Initiatives

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-M364N/M464N/M564N SPECIFICATIONS

Main Specifications		Network Printing System		1K Saddle Stitch Finisher (option)	
MX-M364N/	Base models include multitasking controller, 100-sheet RSPF,	PDL	Standard PCL® 6, optional PostScript® 3™ compatible and	Туре	Console finisher with dual exit trays (mounts on left side
M464N/M564N	PCL®6 printing system, network scanning, auto duplexing,		optional XPS		of host machine)
	1 x 500-sheet paper drawer and a 100-sheet bypass tray.	Resolution	600 x 600 dpi	Output Trays	Upper tray: Offset stack tray
Туре	Monochrome multi-function digital document system	Print Speed	36/46/56 pages per minute (8½" x 11")2		Lower tray: Book tray for saddle stitch
Display	7" (diagonally measured) color dot matrix touch panel display.	Print Drivers	Windows Server® 2003-2008, 2012, Windows XP, Windows XP	Output Capacity	1,000 sheets (letter/statement size) or 500 sheets
	800 x 480 dots (W-VGA).		x64, Windows Server 2003-2008 x64, 2012 x64, Windows Vista®,		(legal, ledger, letter)
Functions	Copy, print, network print, network scan, document filing and fax1		Windows Vista® x64, Windows 7, Windows 7 x64, Windows 8,	Stapling	Up to 50 sheets (letter/statement size) or 25 sheets
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic		Windows 8 x64, MAC OSX (including 10.4-10.8), all MAC PPD		(legal, ledger or mixed)
	brush development/OPC drums/Belt type fusing/white LED	Features	Auto configuration, bar code font printing, carbon copy	Output Delivery	Face down
	exposure		print, chapter inserts, color adjustment settings, color mode,	Stapling Media	Plain paper, letter/legal/ledger size or mixed
Originals	Sheets and bound documents		confidential print, continuous printing, different cover page/last	Stapling Positions	1 front, 1 rear, or both
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"		page/other page, document control, document filing, duplex	Saddle Stitch	Center stitch/center folding (2 staples)
Copy Size	Min. 5½" x 8½", Max. 11" x 17" + 12" x 18"		printing, electronic sorting, folding, form overlay, image rotation,	Function	letter/legal/ledger paper sizes
Copy Speed	36/46/56 ppm (8½" x 11")²		image type, job bypass print, job retention, layout print, margin	Saddle Stitch	Up to 10 sets (11-15 sheets per set)/15 sets
Multiple Copy	Max. 999 copies		shift, multiple pamphlet, network tandem print, N-up printing,	Max. Sets	(6-10 sheets per set)/20 sets (1-5 sheets per set)
First Copy Time	MX-M364N MX-M464N MX-M564N		offset stacking, page interleave, pamphlet style, poster print,	Power	Approx. 70 W or less
Seconds ²	Platen Glass 4.5 3.9 3.7		proof print, print mode, punching, stapling, tab paper print, tab	Consumption	Approx. 70 W of 1000
Warm Up Time	12 seconds ²		printing, toner save mode, transparency inserts, tray status, user	Hole Punching	Optional three-hole punch unit MX-PNX5B (MX-FN10)
Magnification	25% to 400% in 1% increments (with document feeder		authentication, watermarks, zoom print¹	Weight	Approx. 88 lbs.
wayiiiication	25%-200%)	Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,	Dimensions	MX-FN10 (with tray extended):
Original Food	,	Direct Filling		Dillicipions	
Original Feed	100-sheet RSPF with original size detection		PostScript and XPS.¹ Methods: Sharpdesk Mobile, FTP, SMB,		Approx. 26" (w) x 25" (d) x 39" (h)
Scan Speed	Copy: Up to 56 IPM ²	Desident Fente	Web page, E-mail and USB	Inner Finisher (en	liam)
D	Scan: Up to 56 IPM ²	Resident Fonts	80 outline fonts (PCL), 136 fonts (PS)	Inner Finisher (op	
Paper Capacity	Standard: 600 Sheets/Maximum: 6,600 Sheets	Interface	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0	Туре	Built-in type stacking finisher
Paper Feed	Standard: (1) 500-sheet paper drawer (letter/legal/ledger/	Operating Systems	Windows Server 2003-2012, Windows XP, Windows Vista,	Output Tray	Offset stacking tray
System	statement) and 100-sheet bypass tray (letter/legal/ledger/		Windows 7, Windows 8, MAC OS X10.4, X10.5, X10.6, X10.7,	Output Capacity	500 sheets (letter size, non-stapled)
	statement/envelope). Optional: single, double or triple drawer		X10.8, Novell® Netware® Unix®, Linux® and Citrix® (XenApp 5.0	Stapling	Three position; Up to 50 sheets (letter/statement)
	paper deck (500 sheets each drawer), tandem paper deck		6.0, 6.5) and Windows Terminal Services, SAP device types.1	Power	Approx. 50 W
	(2,500 sheets) letter/legal/ledger/statement.	Network Protocols	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP,	Consumption	
Paper Weights	Paper drawers: 16 lb. bond to 80 lb. cover. Other paper types		POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for	Hole Punching	Optional three-hole punch unit MX-PN11B
and Types	include plain, pre-printed, recycled, pre-punched, letterhead and		Unix. IPX/SPX® for Novell environments. EtherTalk®. AppleTalk®	Weight	Approx. 26.5 lbs.
	color paper. Bypass tray: 16-28 lb. bond (plain paper), 13-16		for Macintosh® environments.1	Dimensions	(MX-FN11): Approx. 20" (w) x 25" (d) x 43" (h)
	lb. bond (thin paper), 80-110 lb. cover (heavy paper), 20-24	Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP,		
	lb. bond (Monarch/Com-10 envelope), tab paper (letter). Also		and Novell Pserver/Rprinter	Optional Equipme	nt
	label paper, gloss paper, pre-printed, recycled, pre-punched,	Network Security	IP/MAC address filtering, protocol filtering, port management,	MX-DE12	Stand/1 x 500-sheet Paper Drawer
	letterhead, color paper and OHP film.	-	user authentication and document administration 1	MX-DE13	Stand/2 x 500-sheet Paper Drawer
Duplexing	Standard automatic duplex copying and printing	Security Standards	IEEE-2600™-2008, DoD (NSTISSP) #111	MX-DE14	Stand/3 x 500-sheet Paper Drawer
CPU	Up to 800 MHz multi-processor controller			MX-DE20	Stand/500 + 2,000-sheet Tandem Paper Drawer
Interface	RJ-45 Ethernet (10/100/1000Base-T), USB 2.0 (2 host ports,	Network Scanning	System	MX-LT10	Long Paper Feeding Tray
	front and rear), USB 2.0 (1 device port, rear)	Scan Modes	Standard: Color, monochrome, grayscale	MX-36ABD	Rolling Cabinet Base
Memory	Standard 3 GB copy/print (shared)		600 dpi	MX-LC11	Large Capacity Tray
Hard Disk Drive	320 GB	Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi	MX-FN17	Inner Finisher
Copy Resolution	Scan: B&W/color: 600 x 600 dpi; Copy Output: 600 x 600 dpi	Image Formats	Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS	MX-PN11B	3 Hole Punch Unit (MX-FN17)
Copy Modes	Monochrome/Grayscale	illago i orillata	Color: Grayscale, Color TIFF, JPEG, PDF, PDF/A, Encrypted PDF,	MX-SCX1	Staple Cartridge (MX-FN17)
Exposure Control	Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,		XPS; Internet Fax: TIFF-FX, TIFF-F, TIFF-S ¹	MX-FN10	1K Saddle Stitch Finisher
Exposure control		Imaga			
	Printed-Photo, Photo, Map, Pale-Color Document.	Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)	MX-RB22	Paper Pass Unit
11-16	Settings: Auto or 9 step manual	Compression	Color/Grayscale: JPEG (high, middle, low)	MY DUVED	(Required for MX-FN10, MX-FN11 and MX-FN18)
Halftone	256 gradations/2 levels (monochrome)	0 D	Internet Fax mode: MH/MMR (option)	MX-PNX5B	3 Hole Punch Unit (MX-FN10)
Copy Features	Scan-Once Print-Many, electronic sorting, offset-stacking, Auto	Scan Destinations	E-mail, Desktop, FTP, Folder (SMB), USB, Internet fax (option),	AR-SC3	Staple Cartridge (MX-FN10/MX-FN18)
	Paper Selection (APS), Auto Magnification Selection (AMS), Auto		Super G3 fax (option)	MX-FN11	4K Stacking Finisher
	Tray Switching (ATS), black-white reversal, book copy, card	One-touch	Up to 1,000 (combined scan destinations)	MX-FN18	4K Saddle Stitch Finisher
	shot, center erase, centering, cover pages, dual page copy,	Destinations		MX-PNX6B	3 Hole Punch Unit (MX-FN11/MX-FN18)
	edge erase, image edit, image preview, insert pages, job build,	Group Destinations		AR-SC2	Staple Cartridge (MX-FN11/MX-FN18)
	job programs, margin shift, mirror image, mixed size original,	Programs	48 (combined)	MX-TR13N	Right-side Exit Tray Unit
	multi-page enlargement, original count, pamphlet style, proof	Max. Jobs	Up to 94	MX-TU12	Center Exit Tray Unit
	copy, reserve copy, rotated copy, stamp, suppress background,	Network Protocols	TCP/IP and SSL (includes HTTP, SMTP, LDAP, FTP, POP3), SMB,	MX-PK11	PostScript3 Expansion Kit
	tab copy, tab-paper insertion, tandem copy, toner save mode,		ESMTP and 802.1x	MX-PUX1	XPS Expansion Kit
	transparency inserts, watermark, 2-in-1 / 4-in-1 multi-shot	Network Security	E-mail server user authentication for LDAP and Active Directory		(Requires MX-SHP2GBXPS)
Account Control	Up to 1,000 users. Supports user-number authentication, login	Software	Sharpdesk® desktop personal document management software	MX-SHP2GBXPS	2 GB Memory Upgrade (Required for MX-PUX1)
	name/password or login name/LDAP password		(1 user license included), Sharpdesk Mobile (download)	MX-KB14N	Retractable Keyboard
Output Tray	Main output tray (top): 400 sheets (face down); optional right			MX-FX11	Fax Expansion Kit
Capacity	side exit tray: 100 sheets (face down)	B&W Super G3 Fax	r Kit (option)	MX-FWX1	Internet Fax Kit
Firmware	Flash ROM with local (USB), network update capability and firmware	Transmission Mode	Super G3, G3	MX-PF10	Bar Code Font Kit
Management	update 1 to N with SRDM (Sharp Remote Device Manager)	Modem Speed	33.6 KBPS ³	AR-SU1	Stamp Unit
Device Setup	Web-based management/cloning with user/administrator level login	Compression	JBIG, MMR, MR, MH	AR-SV1	Stamp Cartridge (Requires AR-SU1 Stamp Unit)
Service/Functions		Scanning Method	Sheet fed simplex or duplex or book	MX-AMX1	Application Integration Module
	click counts	Max. Resolution	400 dpi	MX-AMX2	Application Communication Module
Accessibility	Adjustment of key touch sound and speed, document feeder	Transmit Speed	Approx. 2 seconds with Super G3/JBIG ⁴	MX-AMX3	External Accounting Module
Features	free stop, job programs, remote front panel, universal grip for	Auto Dialing	Up to 1,000 (combined scan destinations)	MX-FR45U	Commercial Data Security Kit
. outuroo	paper trays, and disable screen timeout	Group Dial	Up to 500 destinations	111-00	(Available shortly after launch)
Environmental	International Energy Star Program Ver. 2.0, European RoHS	Inbound Fax	Forwards received fax data to E-mail, FTP, SMB, Desktop, Fax,	DVENDFS	Generic Vendor Interface Kit
Standards	miomadonal Lifetyy olai Flogram ver. 2.0, European nono	Routing	I-Fax ¹	פיוחוויזאר	GOTIONO VEHICUI IIICETIAGE INI
	AC 100 127 VAC 60 H7 12 Ames			Cumpling	
Power Consumption	AC 100-127 VAC, 60 HZ, 12 Amps	Long Originals	Up to 33 1/4" (for transmission)	Supplies	Tonor Cortridge
Power Consumption		Programs	48 (combined)	MX-560NT	Toner Cartridge
Weight	Approx. 145 lbs.	Memory	1 GB	MX-560NV	Developer
Dimensions	Approx. 24 1/4" (w) x 28" (d) x 33 1/4" (h)	Halftone	256 levels	MX-560DR	Drum

¹ Some features require optional equipment. See your local dealer.











SHARP ELECTRONICS CORPORATION Sharp Plaza, Mahwah, NJ 07495-1163 1-800-BE-SHARP • www.sharpusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows and Windows Server are trademarks or registered trademarks of Microsoft Corporation. PostScript 3 is a trademark or registered trademark of Adobe Systems Inc. All other trademarks are the property of their respective owners.



² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ Actual transmission time will vary based on line conditions.

⁴ Based on Sharp Standard Test Chart with approximately 700