

## HIGH-SPEED MONOCHROME DOCUMENT SYSTEMS









"BLI PaceSetter in Ease of Use" Enterprise Devices 2018–2019



"Outstanding Achievement in Innovation" for its Web User Interface The Sharp high-speed monochrome document systems deliver leading-edge integration and powerful productivity.

## THE NEW BENCHMARK OF INNOVATION

The Sharp MX-M6570 and MX-M7570 high-speed monochrome document systems offer crisp, high quality output at speeds up to 75 pages per minute coupled with exceptional ease of use. These new models are designed to provide customers with a seamless, intuitive experience, and the confidence in knowing their jobs will come out right the first time, every time. These new document systems focus on user operability and draw inspiration from the latest networking and imaging technologies available today, all to create a document system that delivers the productivity you need, with the reliable performance you want.

## **Key Features**

- Ease of Use Sharp's customizable touchscreen display offers a user-friendly graphical interface with a clean design, simplified Easy Modes and integrated operation guides.
- Integration Equipped with the latest version of Sharp OSA<sup>®</sup> technology for easy integration with network applications and cloud services, these models can unlock advanced capabilities to help you better manage your workflow.
- Productivity An integrated walk-up motion sensor and an easy-to-use graphical interface combine with a fast warm up time to create a workflow experience with virtually no waiting time.

The MX-M6570 and MX-M7570 monochrome document systems offer customers powerful multitasking features enabling them to quickly execute the ever-changing workflow tasks of today's busy office environments. And with Sharp's multi-layered Security Suite, these new models can help protect your data and personal information from the first day of operation to the time of trade-in.



# An advanced design plus multifunctional capability allow you to meet tomorrow's workflow needs today.

- Automatic walk-up motion sensor wakes the machine, and it's ready within seconds.
- 3,200-sheet standard paper capacity expandable to 6,700 sheets with options.
- Large 10.1" (diagonally measured) customizable touchscreen display with a clean design enables easy access to features and functions.

## **EASY-TO-USE DESIGN**

## ENHANCED INTEGRATION WITH STANDARD WIRELESS CAPABILITY

## **HIGH PRODUCTIVITY**

## VERSATILE FINISHING CAPABILITIES



- Sharp's Easy Connect feature makes it simple to print or scan with mobile devices using the free Sharpdesk<sup>®</sup> Mobile app.
- Built-in **Optical Character Recognition** (OCR) function can convert scanned documents to text searchable PDF format, Microsoft<sup>®</sup> Office file formats, and others.
- Easily **access popular cloud applications**, including Microsoft OneDrive<sup>®</sup> for Business, SharePoint<sup>®</sup> Online, Google Drive<sup>™</sup> and more with Sharp's Cloud Connect features.
- Direct print Microsoft Word, PowerPoint<sup>®</sup> and Excel<sup>®</sup> files from thumb drives, cloud applications, network folders and more. This function is enabled via DirectOffice<sup>™</sup> technology.
- **Standard security platform** includes 256-bit encryption, up to 10-times data overwrite and an End-of Lease feature that erases all data and personal information at trade-in.
- Standard 150-sheet duplexing document feeder scans both sides of a document in a single
  pass at speeds up to 200 images per minute (ipm), increasing reliability and productivity.



Built-in retractable keyboard simplifies email address and subject line entries as well as repetitive scanning tasks and user authentication.



## **ADVANCED FUNCTIONALITY – INTUITIVE DESIGN**



Easy Copy Screen offers the most commonly used settings.



Standard Copy Screen offers more advanced features.



Built-in wireless network interface for convenient scanning and printing from mobile devices.

## From paper handling to networking, the MX-M6570 and MX-M7570 high-speed monochrome document systems will exceed your expectations.

#### Simple and Intuitive Operation

From the most basic of copy functions, to the most complex scan jobs, these models will perform them with ease and efficiency. Walk up to the control panel, and the machine senses you approaching and **automatically wakes up**. Within seconds from the time you place your originals in the feeder and select your settings, it's ready to print. Use one of the **Easy Modes** for fast, simple operation, with basic functions displayed in **large, clearly-labeled tiles** and keys. And for more advanced features, just touch the "Details" button – it's that easy.

#### A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the standard wireless networking features found on the MX-M6570 and MX-M7570. Print-from or scan-to popular cloud services such as **Box, Microsoft OneDrive for Business, SharePoint Online,** and **Google Drive** with Sharp's **Cloud Connect** feature. **Single Sign-on (SSO)** support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Sharp's **Serverless Print Release** function. Easily send a job to one device, and print it on another when and where it's most convenient for you.

#### The Productivity You Need, the Performance You Want

When it's time to get the job done, the MX-M6570 and MX-M7570 monochrome document systems are outstanding performers. Quickly scan documents at speeds up to **200 images per minute**. Built-in optical character recognition (OCR) can convert your scanned documents into **text-searchable PDFs** or **Microsoft Office** file formats, simplifying your workflow. Use the **manual stapling feature** on select finishers to restaple your originals. **Multiple finishing options** give you the output you require, be it stacked, stapled or saddle-stitched. There's even an available built-in **stapleless finishing** feature, which can bind up to five sheets of paper by adding a crimp to the corner of the set, saving regular staples for larger sets.



MX-M7570 shown with compact inner finisher.



*MX-M7570 shown with 3K saddle stitch finisher and large capacity cassette.* 

The MX-M6570 and MX-M7570 high-speed monochrome document systems provide high-performance functionality adaptable to your business needs.

# innovative features

High Quality Printing 1200 x 1200 dpi resolution produces razor-sharp documents. Genuine Adobe<sup>®</sup> PostScript<sup>®</sup> 3<sup>™</sup> drivers offer extensive job control. Duplexing Single Pass Feeder (DSPF) Standard 150-sheet dual head document feeder scans both sides of a document in a single pass at speeds up to 200 IPM. Advanced Network Scanning Sharp's ImageSEND™ feature provides one-touch distribution to email, network folders, cloud applications and more.

#### Compact PDF

Standard compact PDF feature dramatically reduces the file size of most color scanned documents.

💌 🔮 🛄

Easy-to-Use Smart Touchscreen Tablet-style menu provides quick access to features and functions.

Built-in Retractable Keyboard Full-size QWERTY keyboard enables easy data entry.

Walk-up Motion Sensor Detects walk-up users and wakes the machine from sleep mode, making it ready for use.



On-board Document Storage Sharp's easy-to-use Document Filing System enables users to store frequently used files.

Enhanced Security Features 256-bit data encryption with up to 10-times data overwrite, as well as Sharp's convenient End-of-Lease feature.

In-line Stapling Produce professionallooking corner-staple or edge-staple documents up to 100 pages.

Manual Stapler Available manual stapling feature makes it easy to re-staple originals after scanning.

Saddle Stitch Finishers Make high quality saddle stitch booklets up to 80 pages long.

#### Advanced Finishing

Sharp gives you a choice of five high-performance finishers to give your documents a professional look. Choose from a compact inner finisher to a high capacity, floor-standing saddle stitch finisher. Multi-folding Unit Provides a variety of folds including z-fold, c-fold, accordion-fold, double-fold and half-fold. Large Capacity Cassette Available large capacity cassettes add an additional 3,000 to 3,500 sheets of paper for a total on-line capacity of up to 6,700 sheets.




## ENHANCED COLLABORATION FOR STREAMLINED WORKFLOWS



Scan and convert documents to popular file formats seamlessly with Sharp's built-in OCR function.



Distribute, access and print documents more easily.



With Serverless Print Release you can securely print a job and release it from up to six supported models (including host).

## Powerful document workflow solutions help you work more efficiently.

### Simplify Managing Different File Types with Intelligent Image Processing

Easily scan and **convert documents** to popular file formats including **Microsoft Word**, **PowerPoint** and **Excel**, as well as a variety of **PDF formats** such as Searchable PDF, Encrypted PDF, Compact PDF and others. You can also direct print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via **DirectOffice™** technology. With this much flexibility, you can speed through your workflow tasks faster than ever!

#### **Distribute, Access and Print Your Documents with Ease**

Sharp makes it easy to send documents to the destinations you need, and goes beyond traditional network scanning with standard **Email Connect** and **Cloud Connect** features. With Email Connect, scan to email is seamlessly integrated with Microsoft Exchange and Gmail<sup>™</sup>. With Cloud Connect, you can easily print from and scan to **Box, Microsoft OneDrive for Business, SharePoint Online** and **Google Drive** without additional middleware.

#### Scan and Print Files Easily from Mobile Devices

These high-speed monochrome document systems also make it easy to print and scan with tablets and smartphones using the free **Sharpdesk Mobile** app. Sharp's **Easy Connect** feature quickly identifies most mobile devices via NFC or QR Code.<sup>1</sup> The MX-M6570 and MX-M7570 models also support popular mobile technologies such as **AirPrint<sup>®</sup>**, **Android<sup>™</sup> print framework** and **Google Cloud Print<sup>™</sup>**.<sup>2</sup> You can print locally from your device or download files from supported cloud applications. Since these new models can connect to mobile devices through a **point-to-point wireless connection**, there is no interference with your corporate network.

#### Flexible Printing Solutions Help Speed Up Your Office Productivity

The MX-M6570 and MX-M7570 come standard with **genuine Adobe PostScript 3** and **PCL 6** printing systems to help you speed through all of your output needs with accuracy. To help streamline your jobs, these powerful performers include **Serverless Print Release**, enabling you to securely print a job and release it from up to six supported models (including host) on your network. And with Google Cloud Print web printing service, you can print from Chromebook<sup>™</sup> notebook computers, PCs and more from virtually anywhere.

#### Simplify Complex Business Workflows

**Sharp OSA technology** can help your business leverage the power of your network applications, back-end systems and cloud services.<sup>2</sup> Easily automate complex processes and help eliminate redundant tasks. Create your own custom integrations or take advantage of the growing portfolio of Sharp OSA applications available from Sharp Partner Program members.



<sup>1</sup> Go to www.sharpusa.com for a list of supported devices and operating systems.

<sup>2</sup> Some features require optional equipment and/or software/services.

## TAKING CARE OF BUSINESS SAFELY AND SECURELY

## Manage your device, help safeguard your data, help protect your business.

Businesses require that the devices on their networks are properly managed and closely monitored to ensure their data remains uncompromised. To help achieve this, the MX-M6570 and MX-M7570 offer powerful device management utilities, web-based customer training and advanced, **multilayered security features**.

With the **Sharp Remote Device Manager (SRDM)**\*, administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Its event-driven service alerts help you monitor the device and maximize uptime. The **Remote Front Panel** feature allows administrators to view and control the machine's LCD panel from a PC to troubleshoot issues and train operators remotely. Sharp also offers both **built-in** and additional **auditing hardware and software to control, access and track usage** of each device on the network.\* And with **My Sharp™**, you get a dedicated training website customized to your model and configuration to help you understand and utilize all of the advanced features of your Sharp product, including those for security.



To help protect employees' privacy and intellectual property, the MX-M6570 and MX-M7570 are armed with a variety of security measures, including features such as **data encryption**, **data overwrite protection** and **data erase**. Multiple **security protocols** help restrict access to the device while in operation, and a convenient **End-of-Lease** feature overwrites all data at time of trade-in. **Authority Groups** help manage and restrict specific copying, printing, scanning and fax features to safeguard data and control costs. The **Admin Audit Log** feature allows IT administrators to track activity on the device. **Confidential Printing** and **Secure Fax Release** help ensure that sensitive documents are kept safe by requiring users to enter a PIN

code in order to print them. For advanced security, these models support Active Directory user authentication and secure single sign-on to network folders and emails. For an optimized workflow experience, ID card authentication is also available.\*



SmartWay

These scalable security offerings aim to help **protect your intellectual property**, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: *www.sharpusa.com/security*.

\* Some features require optional equipment and/or software.



## ENVIRONMENTAL COMMITMENT

## An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX-M6570 and MX-M7570 adhere to Sharp's Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX-M6570 and MX-M7570 document systems are ENERGY STAR<sup>®</sup> qualified and RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values. Sharp MFPs are EPEAT<sup>®</sup> registered.



#### **Toner Recycling Program**

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid recycling kit for their return to our facility.

#### **Environmental Leadership**

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay<sup>®</sup> Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit *www.sharpusa.com/environment*.

MX-M6570/M7570	Base models include multitasking controller, 150-sheet
	DSPF, PCL <sup>®</sup> 6 and Adobe <sup>®</sup> PostScript <sup>®</sup> 3 <sup>™</sup> printing systems,
	network scanning, auto duplexing, 2,100-sheet tandem paper
-	drawer, 2 x 500-sheet paper drawer, 100-sheet bypass tray.
Type	Monochrome multi-function digital document system
Display	10.1" (diagonally measured) color dot matrix high-resolution
Tunationa	touch panel tilting display. 1024 x 600 dots (W-SVGA)
Functions	Copy, print, network print, network scan, document filing and fax Dry electrostatic transfer/Dual component developer/
Copy System	Magnetic brush development/OPC drums/Belt fusing/white
	LED exposure
riginals	Sheets and bound documents
Nax. Original Size	11" x 17"
Output Size	Min. 5½" x 8½", Max. 12" x 18"
Copy Speed	65/75 ppm (8½" x 11")
Aultiple Copy	Max. 9,999 copies
irst Copy Time	MX-M6570 MX-M7570
in seconds) <sup>2</sup>	Platen Glass 3.9 3.5
	DSPF 5.9 5.4
/arm Up Time	43 seconds (from main power switch on), 27 seconds
	(from [Power] button on)
lagnification	25% to 400% in 1% increments (with DSPF 25%-200%)
riginal Feed	150-sheet DSPF with original size detection
can Speed	Up to 100 ipm simplex, up to 200 ipm duplex
riginal Sizes	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"
aper Capacity	Standard: 3,200 Sheets/Maximum: 6,700 Sheets
aper Feed	Standard: Tandem Tray 1 – 1,250 sheets (letter),
ystem	Tandem Tray 2 – 850 sheets (letter) + (2) 500-sheet paper drawers (letter/legal/ledger/statement) and 100-sheet
	bypass tray (letter/legal/ledger/statement).
	Optional: 3,500-sheet large capacity tray (letter) or
	3,000-sheet large capacity tray (ledger).
aper Weights	Tandem drawers: 16 lb. bond to 28 lb. bond. Paper drawers:
nd Types	16 lb. bond to 80 lb. cover. Other paper types include plain,
ild Tjp00	recycled, letterhead, pre-printed, pre-punched, and color paper.
	Bypass tray: 16-28 lb. bond (plain paper), 15-16 lb. bond (thin
	paper), 80-110 lb. cover (heavy paper), and tab paper (letter).
	Also label paper, gloss paper, recycled, letterhead, pre-printed,
	pre-punched, color paper and OHP film.
uplexing	Standard automatic duplex copying and printing
PU	Up to 1.4 GHz multi-processor design
nterface	10/100/1000 Base-T Ethernet, USB 2.0: 2 host ports (front and
	rear), 1 available device port (rear), wireless 802.11 b/g/n
lemory	Standard 5 GB copy/print (shared)
ard Disk Drive	500 GB
opy Resolution	Scan: Up to 600 x 600 dpi
	Output: Up to 1200 x 1200 dpi
opy Modes	Monochrome/Grayscale
xposure Control	Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
lodes	Photo, Map, Pale-Color Document
alftono	Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)
alftone	· · · · · ·
opy Features	Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Paper Selection (APS), Auto Magnification Selection
	(AMS), Auto Tray Switching (ATS), black-white reversal, blank
	page skip, book copy, book divide, card shot, center erase,
	centering, cover pages, dual page copy, edge erase, image
	edit, image preview, insert pages, job build, job programs,
	margin shift, mirror image, mixed size original, multi-page
	enlargement, original count, pamphlet style, proof copy,
	repeat layout, reserve copy, rotated copy, stamp, stamp
	custom image, suppress background, tab copy, tab-paper
	insertion, tandem copy, toner save mode, transparency
account Control	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot
ccount Control	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local,
account Control	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and
Account Control	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory <sup>®</sup> for copy, print, scan and document management.
Jutput Tray	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. Main output tray (top): 250 sheets (face down);
Dutput Tray Capacity	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. Main output tray (top): 250 sheets (face down); optional right side exit tray: 100 sheets (face down)
Dutput Tray Capacity Cloud Supported	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-In-1 / 4-In-1 / 8-In-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. Main output tray (top): 250 sheets (face down); optional right side exit tray: 100 sheets (face down) Box, Google® Cloud Print, Google Drive, OneDrive® for
Dutput Tray Capacity	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. Main output tray (top): 250 sheets (face down); optional right side exit tray: 100 sheets (face down) Box, Google® Cloud Print, Google Drive, OneDrive® for Business, SharePoint® Online
utput Tray apacity loud Supported ervices	insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user authentication via local, LDAP, and Active Directory® for copy, print, scan and document management. Main output tray (top): 250 sheets (face down); optional right side exit tray: 100 sheets (face down) Box, Google® Cloud Print, Google Drive, OneDrive® for

	s (continued) Includes IP/MAC address filtering, protocol filtering, port
Network and Data Security	control, TLS Encryption, Kerberos support, Active Directory
	integration, data encryption, End-of-Lease, data overwrite
	(up to 10x), DoD 5220.22-M
Firmware	Flash ROM with local (USB), network update capability
Management	and firmware update 1 to N with SRDM (Sharp Remote
Device Out	Device Manager)
Device Setup	Web-based management/cloning with user/administrator
Convice/E-metic	level login
Service/Functions	Remote Front Panel, remote access to service logs and
Accessibility	Click counts Free stop tilting front panel, adjustment of key touch sound
Features	and speed, concave key, document feeder free stop, job
	programs, remote front panel, universal grip for paper trays
	and disable screen timeout
Environmental	International Energy Star Program Ver. 2.0, European RoHS
Standards	
Power Source	110-127 V AC, 60 HZ, 20 A Receptacle
Power	1.92 kW or less
Consumption	
Weight	Approx. 362 lbs.
Dimensions	Approx. 26" (w) x 30-1/2" (d) 48" (h)
Network Printing S	
PDL	Standard PCL <sup>®</sup> 6, Adobe PostScript 3
Resolution	1200 x 1200 dpi
Print Speed	65/75 ppm (8½" x 11") Windows 7, Windows 8,1, Windows 10, Windows Sonier®
Print Drivers	Windows 7, Windows 8.1, Windows 10, Windows Server®
	2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
	Windows Server 2012 R2, Windows Server 2016, Windows
	PPD, MAC OS X <sup>®</sup> (including 10.6 to 10.13), all MAC PPD, Linux <sup>®</sup> PPD
Mobile Printing	AirPrint <sup>®</sup> , Android <sup>™</sup> printing framework (Sharp Print Service
woone i mang	Plugin), Sharpdesk <sup>®</sup> Mobile <sup>3</sup>
Print Features	Auto configuration, serverless print release, bar code font
	printing, carbon copy print, chapter inserts, confidential print,
	continuous printing, custom image registration, different cover
	page/last page/other page, document control, document
	filing, duplex printing, electronic sorting, folding, form overlay
	hidden pattern print, image rotation, image stamp, image
	type, job bypass print, job retention, layout print, margin shift
	multiple pamphlet, network tandem print, N-up printing, offset
	stacking, page interleave, pamphlet style, poster print, proof
	print, print and send, punching, stapling, tab paper print,
	tab printing, toner save mode, transparency inserts, tray
	tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print
Direct Printing	
Direct Printing	status, user authentication, watermarks, zoom print
Direct Printing	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF,
Resident Fonts	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS)
Resident Fonts Interface	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless
Resident Fonts Interface Operating Systems	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server®
Resident Fonts Interface	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012,
Resident Fonts Interface Operating Systems	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server 2012 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS
Resident Fonts Interface Operating Systems	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2018 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12),
Resident Fonts Interface Operating Systems and Environments	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server ? 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2016, Mac 0S X 10.6-10.13, UNIX*, Linux, Citrix % (RAnpp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup>
Resident Fonts Interface Operating Systems	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows <sup>®</sup> 7, Windows 8,1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac 0S X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Temeta Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, P0P3, HTTP,
Resident Fonts Interface Operating Systems and Environments	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PMG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows & 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2016, Mac 0S X 10.6-10.13, UNIX*, Linux, Citrix & (Kandpp 5.0-7.12), Windows Remote Desktop Services, SAP device types'
Resident Fonts Interface Operating Systems and Environments Printing Protocols	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows & 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2018, Mac 0S X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows <sup>®</sup> 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Tervices, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server © 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix Standard: Color, monochrome, grayscale 11" x 17"
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	status, user authentication, watermarks, zoom print File Types: TIF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows & 7, Windows 8.1, Windows 10, Windows Server ? 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2018, Mac 0S X 10.6-10.13, UNIX*, Linux, Citrix & (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types1 LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11* x17"
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	status, user authentication, watermarks, zoom print File Types: TIF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows <sup>6</sup> 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11 <sup>°°</sup> x 17 <sup>°°</sup> 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows <sup>®</sup> 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Mente Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11 <sup>n</sup> × 17 <sup>n</sup> 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMRR
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix Standard: Color, monochrome, grayscale 11" x 17" 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (high, middle, low)
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Scan Modes Optical Resolution Output Modes Image Compression	status, user authentication, watermarks, zoom print File Types: TIF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows & 7, Windows 8.1, Windows 10, Windows Server? 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2018, Mac 0S X 10.6-10.13, UNIX*, Linux, Citrix* (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types? LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11* x 17* 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (fin), middle, Iow) Internet Fax mode: MH/MMR (option)'
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image	status, user authentication, watermarks, zoom print File Types: TIF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows Server 2018 R2, Windows 10, Windows Server® 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12), Windows Server Sources, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11* x 17* 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) <sup>1</sup> Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Scan Modes Optical Resolution Output Modes Image Compression	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows <sup>®</sup> 7, Windows 8.1, Windows 10, Windows Server <sup>®</sup> 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX <sup>®</sup> , Linux, Citrix <sup>®</sup> (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11 <sup>**</sup> x 17 <sup>**</sup> 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) <sup>1</sup> Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF.
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Scan Modes Optical Resolution Output Modes Image Compression	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PMG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows Server 2008 R2, Windows Server 2012, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX*, Linux, Citrix (% RAMpp 5.0-7.12), Windows Remote Desktop Services, SAP device types' LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11* x 17" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Stanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (high, middle, Iow) Internet Fax mode: MH/MMR (option)' Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOZX, XLSX, PTX, TXT, and RTF.
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Scan Modes Optical Resolution Output Modes Image Compression	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows S 7, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX®, Linux, Citrix® (XenApp 5.0-7.12), Windows Remote Desktop Services, SAP device types <sup>1</sup> LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix <b>System</b> Standard: Color, monochrome, grayscale 11" x 17" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: IPFE, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, Color/Grayscale: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, Color/Grayscale: TIFF, PDF, PDF/A, DCM, XLSX, PPTX, Standard: PDF, NCA, Searchable PDF, DOCX, XLSX, PPTX,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Scan Modes Optical Resolution Output Modes Image Compression	status, user authentication, watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PMG. Methods: FTP, SMB, Web page, Email and USB memory 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless Windows Server 2008 R2, Windows Server 2012, Windows Server 2008 R2, Windows Server 2012, Windows Server 2018 R2, Windows Server 2016, Mac OS X 10.6-10.13, UNIX*, Linux, Citrix (% RAMpp 5.0-7.12), Windows Remote Desktop Services, SAP device types' LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix System Standard: Color, monochrome, grayscale 11* x 17" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Stanning: Uncompressed, G3 (MH), G4 (MR/MMR Color/Grayscale: JPEG (high, middle, Iow) Internet Fax mode: MH/MMR (option)' Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOZX, XLSX, PTX, TXT, and RTF.

Network Scanning	System (continued)
One-touch	Up to 2,000 (combined scan destinations)
Destinations	
Group Destinations	Up to 500
Programs	48 (combined)
Max. Jobs	Up to 100
Enhanced Email	Standard Gmail connector, standard Exchange connector
Integration	otandard dinar connoctor, standard Exonange connoctor
	HTTP/HTTPS, FTP/FTPS, SMTP/SMTP-SSL/ESMTP, SMB,
ocuming i rococolo	POP3, LDAP, S/MIME
Software	Sharpdesk <sup>®</sup> desktop personal document management software
	(1 user license included), Sharpdesk Mobile (download)
	(· ////
3K Stacking 65-Sh	eet Staple Finisher (MX-FN34 option)
Туре	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled)
	Lower tray: Moving offset tray (up to 3,000 letter size sheets)
Stapling Capacity	Up to 65 sheets (letter)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2 point stitching
3K Stacking 65-Sh	eet Staple/Saddle Stitch Finisher (MX-FN35 option)
Туре	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled)
	Lower tray: Moving offset tray (up to 3,000 letter size sheets)
Stapling Capacity	Up to 65 sheets (letter)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2 point stitching
Saddle Stitch	2-point center stitch and bi-folding letter/legal/ledger
Saddle Stitch	Up to 10 sets (11-20 sheets per set)/15 sets (6-10 sheets
Max. Sets	per set)/25 sets (1-5 sheets per set)
<b>Optional Equipmen</b>	
MX-LC18	Large Capacity Tray (letter)
MX-LC19	Large Capacity Tray (ledger)
MX-LT10	Long Paper Feeding Tray
MX-FN33	Inner Finisher <sup>1</sup>
MX-FN34	3K Stacking 65-sheet Staple Finisher <sup>1</sup>
MX-FN35	3K Stacking 65-sheet Staple/Saddle Stitch Finisher <sup>1</sup>
MX-FN21	4K Stacking 100-sheet Staple Finisher <sup>1</sup>
MX-FN22	4K Stacking 100-sheet Staple/Saddle Stitch Finisher <sup>1</sup>
MX-PN16B	3-Hole Punch Unit (requires MX-FN34/35)
MX-PN13B	3-Hole Punch Unit (requires MX-FN21/22)
MX-SC11	Staple Cartridge for MX-FN34, MX-FN35
MX-SC12	Staple Cartridge for MX-FN35
MX-SCX1	Staple Cartridge for MX-FN33, MX-FN22
MX-SCX2	Staple Cartridge for MX-FN21, MX-FN22
MX-RB13	Relay Unit <sup>1</sup>
MX-RB24	Paper Pass Unit for MX-FN33
MX-RB26	Paper Pass Unit <sup>1</sup>
MX-RB27	Curl Correction Unit <sup>1</sup>
MX-TM10	Trimmer Unit (requires MX-FN22)
MX-CF11	2-Tray Inserter Unit <sup>1</sup>
MX-FD10	Multi-folding Unit <sup>1</sup>
MX-TR21	Right Side Exit Tray
MX-TU15	Center Exit Tray
MX-PF10	Barcode Font Kit
MX-FX15	Fax Expansion Kit
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge (required for AR-SU1 Stamp Unit)
MX-FWX1	Internet Fax Expansion Kit
MX-FR60U	Commercial Data Security Kit (available shortly after launch)
MX-AMX1L	Application Integration Module
DVENDFSV	Generic Vendor Interface Kit
Cumpling	
Supplies	

## M

Toner Cartridge
Developer
Drum
Toner Collection Container

<sup>1</sup> Some features require optional equipment. See your local dealer.

<sup>2</sup> May vary depending on product configuration, machine settings and operating and/or environmental conditions.

<sup>3</sup> Go to www.sharpusa.com for a list of supported devices and operating systems.















SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Printed in U.S.A. 9/18 • CPD-3922

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive, Google Cloud Print, Gmail and Chromebook are registered trademarks of Google LLC. AirPrint is a registered trademark of Apple Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. Box is a registered trademark of Box, Inc. and/or its affiliates. BLI Reliability award based on devices tested from January 2012 through May 2018. All other trademarks are the property of their respective owners.